

G 7180 C SCVi AutoDos

Fully integrated dishwashers

with automatic dispensing thanks to AutoDos with integrated PowerDisk.



- Cutlery tray with chopstick holder for maximum convenience – 3D MultiFlex
- More information options and modern domestic appliance networking – Miele@home
- Perfect results in less than one hour – QuickPowerWash
- Convenient, great results, perfect for everyday use – ExtraComfort C baskets
- Completely dry – Miele AutoOpen drying

EAN: 4002516777625 / Material number: 12514000 /
Old Material Number: 21718062ROK

Model	
Fully integrated dishwasher	•
60 cm dishwasher	•
Design	
Control panel colour	Stainless Steel.
Control panel version	Fully integrated fascia
Control type	Programme selector button
Display	1-line text display
Display colour	White
MultiLingua	•
Convenience	
Networking with Miele@home	•
Automatic dispensing with PowerDisk	•
Door closing aid	AutoClose
Time left display	•
Delay start up to 24 hours	•
In-operation indicator light	optical and acoustic
Display language selection	•
Efficiency and sustainability	
Annual energy consumption in ECO programme in kWh	287,1
Noise emissions in dB(A)	33
EcoFeedback	•
EcoPower Technology	•
Proven hygiene	•
Hot water connection	•
Half load	•
Energy consumption/cycle	786,6
Water consumption/cycle	15,6
Loading capacity	12
Water consumption – automatic	6,0
Energy consumption – hot water	0,31
Time consumed per cycle	206
Water cons per cyc person	1,3
CO2 emissions per cycle	334
Annual energy cost	45,93 KRW
Cleaning performance	80,7
Drying performance	68,4
Energy efficiency rating	2
Standby power (off mode)	0,3
Standby power (sleep mode)	0,9
Quality of results	
Fresh water dishwasher	•
SensorDry	•
Active condensation drying	•
BrilliantGlassCare	•
Wash programmes	
QuickPowerWash	•
Automatic	•

G 7180 C SCVi AutoDos

Fully integrated dishwashers

with automatic dispensing thanks to AutoDos with integrated PowerDisk.



EAN: 4002516777625 / Material number: 12514000 /

Old Material Number: 21718062ROK

ComfortWash 45 °C	•
Intensive 75 °C	•
ComfortWash+ 55 °C	•
Gentle	•
ExtraQuiet (30 dB(A) re 20 µPa)	•
Appliance care	•
Rinse out salt	•
Dishwashing options	
AutoDos	•
BottleClean	•
Quick	•
IntenseZone	•
Extra Clean	•
Extra dry	•
Basket design	
Cutlery loading	3D MultiFlex tray C
Chopstick holders	•
FlexCare glass holder	3
FlexCare cup rack	1
Basket design	ExtraComfort C
MultiClip	•
FlexCareGlass & Bottle	•
Safety	
Waterproof system	•
Filter indicator light	•
Technical data	
Niche width minimal in mm	600
Niche width max in mm	600
Niche height minimal in mm	805
Niche height maximal in mm	870
Niche depth in mm	550
Appliance width in mm	598
Appliance height in mm	805
Appliance depth in mm	550
Depth with door open in cm	116,5
Net weight in kg	47,0
Total rated load in kW	1,80
Voltage in V	220
Fuse rating in A	10
Number of phases	1
Electrical frequency standard	60
Length of water inlet hose in cm	1,50
Length of water drain hose in cm	1,50
Length of supply lead in m	1,70
Min. front panel weight in kg	4,0
Max. front panel weight in kg	11,0
[can be retrofitted by Service to min.]	7,0
[can be retrofitted by Service to max.]	14,0

G 7180 C SCVi AutoDos

Fully integrated dishwashers

with automatic dispensing thanks to AutoDos with integrated PowerDisk.



EAN: 4002516777625 / Material number: 12514000 /
Old Material Number: 21718062ROK

Available display languages

Available display languages via MultiLingua

deutsch, english (GB)

Accessories included


Voucher for 6 x PowerDisk

•

G 7180 C SCVi AutoDos

Fully integrated dishwashers

with automatic dispensing thanks to AutoDos with integrated PowerDisk.



G7000, fully integrated dishwasher, 60cm (installation drawing)

1) Plinth height 35-155 mm, 2) Plinth height 100-220 mm, 3) Appliance height max. 930 mm with plinth height conversion kit (Mat.-Nr. 6.394.761),