

G 7365 SCVi XXL AutoDos

Fully integrated dishwasher XXL with automatic dispensing thanks to AutoDos.

with automatic dispensing thanks to AutoDos with integrated PowerDisk.



- Innovative design and maximum convenience 3D MultiFlex Tray
- Communication with the appliance couldn't be easier WiFiConn@ct
- Perfect results in less than one hour -QuickPowerWash
- Fresh water dishwashers from
 6.0 litres in the Automatic
- Versatile and secure ExtraComfort basket design



| EAN 4000540400005 (water tall a salar a 44004740 | |
|--|-------------------------|
| EAN: 4002516102205 / material number: 11091740 | |
| Construction type | |
| Fully integrated dishwasher | <u>•</u> |
| 60 cm dishwasher | <u>•</u> |
| XXL dishwasher | • |
| Design | |
| Control panel version | Fully integrated fascia |
| Control type | Softkeys |
| Display | 1-line text display |
| Display colour | White |
| MultiLingua | • |
| Convenience | |
| Automatic dispensing with PowerDisk | • |
| Door closing aid | ComfortClose |
| Operating noise dB(A) re 1 pW | 43 |
| Time left display | <u>•</u> |
| Delay start up to 24 hours | <u>•</u> |
| In-operation indicator light | optical and acoustic |
| Display language selection | • |
| Efficiency and sustainability | |
| Energy efficiency class A+++ - D | <u>A+++</u> |
| More economical than the threshold value for energy efficiency rating A+++ | 10% |
| Drying class | A |
| Water consumption in the Automatic programme in I from | 6.0 |
| Water consumption in the ECO programme in I | 8.9 |
| Energy consumption in the ECO programme in kWh | 0.73 |
| Annual water consumption in the ECO programme in I | 2,492 |
| Annual energy consumption in ECO programme in kWh | 208 |
| Energy consumption in stand-by mode in W | 0.3 |
| Networked standby | 1 |
| EcoFeedback | • |
| EcoPower technology | • |
| Hot water connection | • |
| Half load | • |
| Gentle treatment of crockery and glassware | |
| Fresh water dishwasher | • |
| AutoOpen drying | • |
| SensorDry | • |
| Active condensation drying | • |
| BrilliantGlassCare | • |
| Wash programmes | |
| ECO | • |
| Automatic | • |
| Intensive 75 °C | • |
| Normal 60 °C | • |
| Gentle | • |
| QuickPowerWash | • |
| Hygiene | • |
| SolarSave | • |
| ExtraQuiet 40 dB(A) | • |
| Appliance care | • |
| | |

more information: http://www.miele.co.uk/domestic



G 7365 SCVi XXL AutoDos

Fully integrated dishwasher XXL with automatic dispensing thanks to AutoDos with integrated PowerDisk.




| Dishwashing options | |
|-----------------------------------|-------------------|
| IntenseZone | • |
| Express | • |
| AutoDos | • |
| extra clean | • |
| extra dry | • |
| Basket design | |
| Cutlery loading | 3D MultiFlex tray |
| FlexCare glass holder | 2 |
| FlexCare cup rack | 2 |
| Basket design | ExtraComfort |
| Number of place settings | 14 |
| Appliance networking | |
| Miele@home | • |
| MobileControl | • |
| WiFiConn@ct | • |
| ShopConn@ct | • |
| AutoStart function | • |
| RemoteService | • |
| Safety | |
| Waterproof system | <u> </u> |
| Filter indicator light | • |
| Technical data | |
| Niche width in mm | 600 |
| Niche height in mm | 845 |
| Niche depth in mm | 570 |
| Appliance width in mm | 598 |
| Appliance height in mm | 845 |
| Appliance depth in mm | 570 |
| Depth with door open in cm | 120.5 |
| Net weight in kg | 49.0 |
| Total rated load in kW | 2.0 |
| Voltage in V | 230 |
| Fuse rating in A | 10 |
| Number of phases | 1 |
| Length of water inlet hose in m | 1.50 |
| Length of water drain hose in m | 1.50 |
| Length of supply lead in m | 1.80 |
| Min max. front panel weight in kg | 4.0 |



G 7365 SCVi XXL AutoDos

Fully integrated dishwasher XXL with automatic dispensing thanks to AutoDos with integrated PowerDisk.





G7000, fully integrated dishwasher, XXL, 60cm (installation drawing)

G7000, fully integrated dishwasher, XXL, 60cm (installation drawing) $\,$

- 1) Plinth height 35-155 mm 2) Plinth height 100-220 mm 3) Appliance height max. 970 mm with plinth height conversion kit (Mat.-Nr. 6.394.761)